

BİLGİLİ[®]
Makina San. ve Tic. Ltd. Şti.

Yenilikçi Baskı Teknolojisi

innovative
PRINTING TECHNOLOGY


55
YILDIR
FLEKSO BASKIYA
YÖN VERİYORUZ



Ayrıcalığını ve kalitesini yaşayın

Experience the privilege and quality

1 9 5 8 D E N B E R İ F L E K S O B A S K I T E K N O L O J İ L E R İ N D E Ö N C Ü



BMS/D-1206 SPECIFICATIONS WITH DETAILS

- A. All pneumatic included Dr.Blade **METALWORK**(ITALIAN)
- B. All machine bodies are made by steel. (min. 40mm)
- C. All main rollers chrome. (20micron/1300mm width)
- D. All aluminium rollers has special helix for material balance.(1400mm)
- E. Net printing width 1200mm(included cliché roll), max material width is 1300.
- F. Winder unwinder system full automatic servo controlled.(**Delta**)
- G. Rewinder has tension control with loadcell brand **Re**. (ITALIAN)
- H. Edge control with drive special production of Bilgili Makine.
- I. All electronic parts and switches **Telemecanique**. (France)
- J. Machine prints ; PE, PP, OPP, BOPP, PAPER.
- K. Machine Ceramic Aniloxes by **Apex**. (Netherlands)
- L. There are sensors with materials which are ability to emergency stop. And also machine has emergency stop system.

- M. Each colour groups has servo motor and drive so ability(OPPORTUNITY) to work with single groups.
- N. Machine has heating system with PLC, PID control.
- O. Machine has computer which shows all details of the machine like speed, ink pumps, heating system, tension control, edge control, etc.
- P. Each winder and unwinder groups has bobbin locking Wheel which is special production of Bilgili Makine.
- Q. All machine full servo controlled. 1,5 kw. (**Delta**)
- R. 1 set of rollers with gears with machine.
- S. Machine maximum printing speed 300m/min(Recommended by Bilgili Makine), minimum speed 20m/min. Machine max according to customer material and job.
- T. Machine has Camera system Brand **UNITY**. (TURKEY)
- U. Cranes Brand **Yale**. (German)
- V. Machine fans for the dryer made by **GAMAK**.